





Evapco ESW4 Line Thermal Performance in USGPM - Galvanized Steel Coil - 30% Ethylene Glycol Water as Process Fluid

Table with columns for flow rate (11/7/2019) and various temperature points (67, 70, 72, 77, 75, 72, 75, 77, 82, 80, 77, 80, 82, 87, 85, 82, 85, 87, 92, 90, 87, 90, 92, 97, 95, 92, 95, 97, 102, 100, 97, 100, 102, 107, 105, 102, 105, 107, 112, 110, 107, 110, 112, 117, 115, 89.6, 102, 98.6, 98.6). Rows list models from ESW4 12-2312-SP to ESW4 12-35K12-LF.

Note: "-" indicates flow rate is outside of unit capability



Evapco ESW4 Line Thermal Performance in USGPM - Galvanized Steel Coil - 30% Ethylene Glycol Water as Process Fluid

Table with columns for date (11/7/2019), Model, and 48 numerical columns representing performance metrics. Rows include various ESW4 models like ESW4 12-35L12-LF, ESW4 12-35M12-LF, etc., up to ESW4 12-33N18X-LP.

Note: "-" indicates flow rate is outside of unit capability



Evapco ESW4 Line Thermal Performance in USGPM - Galvanized Steel Coil - 30% Ethylene Glycol Water as Process Fluid

Table with columns for date (11/7/2019), Model, and 48 numerical columns representing thermal performance metrics. The table lists various ESW4 models and their corresponding values across multiple columns.

Note: "-" indicates flow rate is outside of unit capability



Evapco ESW4 Line Thermal Performance in USGPM - Galvanized Steel Coil - 30% Ethylene Glycol Water as Process Fluid

Table with columns for date (11/7/2019), Model, and 48 numerical columns representing performance metrics. Rows list various ESW4 models such as ESW4 12-3318X-SP, ESW4 12-333M18X-SP, etc.

Note: "-" indicates flow rate is outside of unit capability



Evapco ESW4 Line Thermal Performance in USGPM - Galvanized Steel Coil - 30% Ethylene Glycol Water as Process Fluid

Table with columns for date (11/7/2019), Model, and 48 numerical columns representing performance metrics. Rows include various ESW4 models like ESW4 12-36M18-LF, ESW4 12-36N18-LF, etc.

Note: "-" indicates flow rate is outside of unit capability









Evapco ESW4 Line Thermal Performance in USGPM - Galvanized Steel Coil - 30% Ethylene Glycol Water as Process Fluid

Table with columns for date (11/7/2019), Model, and 48 numerical columns representing performance metrics. Rows list various ESW4 models like ESW4 14-44022-LP, ESW4 14-44222-LP, etc.

Note: "-" indicates flow rate is outside of unit capability





Evapco ESW4 Line Thermal Performance in USGPM - Galvanized Steel Coil - 30% Ethylene Glycol Water as Process Fluid

Table with columns for Model, flow rate (50-110), and temperature (57-112). Rows include various ESW4 models like ESW4 12-33M12-SP-Z, ESW4 12-34I12-SP-Z, etc.

Note: "-" indicates flow rate is outside of unit capability



Evapco ESW4 Line Thermal Performance in USGPM - Galvanized Steel Coil - 30% Ethylene Glycol Water as Process Fluid

Table with columns for date (11/7/2019), Model, and various numerical values representing thermal performance metrics across different coil configurations.

Note: "-" indicates flow rate is outside of unit capability



Evapco ESW4 Line Thermal Performance in USGPM - Galvanized Steel Coil - 30% Ethylene Glycol Water as Process Fluid

Table with columns for flow rate (11/7/2019) and various model numbers (67, 70, 72, 77, 75, 72, 75, 77, 82, 80, 77, 80, 82, 87, 85, 82, 85, 87, 92, 90, 87, 90, 92, 97, 95, 92, 95, 97, 102, 100, 97, 100, 102, 107, 105, 102, 105, 107, 112, 110, 107, 110, 112, 117, 115, 89.6, 102, 98.6, 98.6). Rows list various ESW4 models from ESW4 12-43L18X-LP-Z to ESW4 12-42O18X-SP-Z.

Note: "-" indicates flow rate is outside of unit capability







Evapco ESW4 Line Thermal Performance in USGPM - Galvanized Steel Coil - 30% Ethylene Glycol Water as Process Fluid

Table with columns for flow rate (11/7/2019) and various model numbers (e.g., ESW4 12-44N18-SF-Z, ESW4 12-44O18-SF-Z, etc.) and their corresponding performance metrics.

Note: "-" indicates flow rate is outside of unit capability







Evapco ESW4 Line Thermal Performance in USGPM - Galvanized Steel Coil - 30% Ethylene Glycol Water as Process Fluid

Table with 40 columns (67-98.6) and 41 rows (11/7/2019, Model, ESW4 14-53K22-LP-Z to ESW4 14-56R22-LP-Z) showing thermal performance data.

Note: "-" indicates flow rate is outside of unit capability